



Tilt Trucks

Tilt Trucks feature sturdy plastic construction and weigh much less than metal trucks. Smooth surface is easy to clean. Inset wheel and axle help prevent damage to walls and doorways. Optional domed, hinged lid conceals contents. **Structural Foam Tilt Trucks** are well suited for general waste collection and light to medium materials handling. Fits through standard commercial doorways with ease. Non-marking casters. Optional domed, hinged lid conceals contents. **This product will ship separately, direct from the manufacturer.**

Tilt Trucks, 38 $\frac{5}{8}$ "H X 28"W

A. 80517	½ Cu. Yd., 450 lbs, 56 $\frac{3}{4}$ "L . . .	\$752.00
72034	½ Cu. Yd., 850 lbs, 60 $\frac{1}{2}$ "L . . .	1,094.75
72035	½ Cu. Yd., 1,400 lbs, 60 $\frac{1}{2}$ "L . . .	1,158.75
80518	Lid	186.70

Tilt Trucks, 43 $\frac{3}{4}$ "H X 33 $\frac{1}{2}$ "W X 72 $\frac{1}{4}$ "L

80519	1 Cu. Yd., 850 lbs.	\$999.95
80520	1 Cu. Yd., 1,250 lbs	1,278.75
80521	1 Cu. Yd., 2,100 lbs	1,467.75
80522	Lid	259.60

Structural Foam Tilt Trucks, 38"H X 30 $\frac{1}{4}$ "W X 64 $\frac{1}{2}$ "L

B. 72036	¾ Cu. Yd., 600 lbs.	\$878.85
72037	¾ Cu. Yd., 1,000 lbs.	1,063.85
80523	Lid	247.20



X-tra™ Utility Cart

Cart is designed to carry large loads so you can reduce return trips. Large shelves hold various equipment and supplies. 300 lb. total capacity – 100 lbs. per shelf. **This product will ship separately, direct from the manufacturer.**

80593 37 $\frac{1}{8}$ "H X 20"W X 40 $\frac{1}{2}$ "L \$339.00



Heavy-Duty Utility Carts

Carts are manufactured from chip/dent-resistant structural foam and offer non-marking casters, making them ideal for factory, healthcare or office use. **Utility Carts** are extremely sturdy, yet lightweight and easy to maneuver. **Flat Shelf Utility Carts** are designed for transport of bulky oversized items or can be used for a mobile work surface. Individual shelf capacity is 250 lbs. **This item will ship separately, direct from the manufacturer.**

Utility Cart	Dimensions	
66678 Beige	33 $\frac{1}{4}$ "H X 17 $\frac{1}{2}$ "W X 39"L	\$237.55
A. 66653 Black	33 $\frac{1}{8}$ "H X 25 $\frac{1}{2}$ "W X 45 $\frac{1}{4}$ "L	291.90
66679 Beige	33 $\frac{1}{4}$ "H X 25 $\frac{1}{2}$ "W X 45 $\frac{1}{4}$ "L	270.75

Flat Shelf Utility Cart		
B. 66654 Black	33 $\frac{1}{8}$ "H X 19 $\frac{1}{2}$ "W X 37 $\frac{1}{8}$ "L	254.20
66655 Beige	33 $\frac{1}{8}$ "H X 19 $\frac{1}{2}$ "W X 37 $\frac{1}{8}$ "L	254.20
66656 Black	33 $\frac{1}{8}$ "H X 25 $\frac{1}{2}$ "W X 43 $\frac{1}{4}$ "L	296.75
66657 Beige	33 $\frac{1}{8}$ "H X 25 $\frac{1}{2}$ "W X 43 $\frac{1}{4}$ "L	296.75






Rubbermaid Drum Dollies

Dollies are perfect for moving heavy loads such as waste containers or metal drums. Units have five 3" swivel casters for strength and mobility and measure 7 1/2"H X 24 1/2" diameter. Capacity: 500 lbs.

32827 Two Drum Dollies. \$289.95



WESCO Drum Cradle With Optional Drip Tray

Cradle provides an economical way to tip, drain and store most 55 gallon drums. Cradle features inboard polyolefin wheels and has a 600 lb. capacity. Optional **Drip Tray** feature has a steel slide-out tray that holds the plastic Drip Pan (included). **This product will ship separately, direct from the manufacturer.**

A. 80416 Drum Cradle \$139.85
B. 80417 Drip Tray Kit. 73.20

Ground and Bond Wires

Reduce fire risks from static electricity during the transfer of flammable liquids. All wires measure 3' in length.

- **Insulated Ground Wire** with a C-clamp and alligator clip
- **Standard Bond Wire** with 2 alligator clips
- **All-Purpose Bond Wire** with a C-clamp and alligator clip




	1-2	3+
A. 83058 Insulated Ground Wire	\$38.10	36.20
B. 79510 Standard Bond Wire.	39.40	37.45
C. 79511 All-Purpose Bond Wire.	48.45	46.05

JUSTRITE Safety Drum Funnel

Minimize spills and dump faster with this large mouth funnel. Funnel is constructed of steel with a durable powder coat finish and has a hinged fusible-link actuated cover to reduce the spread of vapors. Funnel features a 6" brass flame arrester and measures 10 3/4" Diameter X 10"H with a 2" NPS. FM approved.


79549 \$241.10



Drum Vents

Drum Vents provide automatic pressure relief. Operating valves open at 5 psig internal pressure in normal service. Vacuum relief permits four or more gpm flow through a standard 3/4" faucet. Brass vents work best on petroleum based liquids and non-metallic vents are best for chlorinated solvents. **Elbows Fittings** adapt 79488 to horizontal drums. Vents are FM approved.


	Vent Position	Vacuum Relief	1	2+
A. 79488 Drum Vent, 2" NPT Brass	Vertical	Auto	\$68.50	65.10
B. 79489 Drum Vent, 2" NPT Non-Metallic	Vertical	Auto	85.00	80.75
C. 79505 Drum Bung Vent, 2" NPS Brass	Horizontal	Manual	62.55	59.45
79494 Elbow Fitting for 79488, Vents 2" Drum Opening			25.25	24.00
79495 Elbow Fitting for 79488, Vents 3/4" Drum Opening			28.85	27.45



Brass Drum Faucet

Self-closing Drum Faucet incorporates an internal flame arrester and a Teflon® seal. Flexible **Valve Faucet Extension** provides extra accuracy and prevents spills. For trouble-free dispensing of viscous non-corrosive flammables such as adhesive paints or heavy oils, use the **Drum Gate Valve**. Faucet and Valve are FM approved.


	1	2+
A. 79518 Faucet, 3/4" NPT Brass	\$47.85	45.50
B. 79486 Faucet Extension for 79518, 8"L	22.45	21.35
C. 83170 Drum Gate Valve, 2" NPT Brass	132.45	125.85



Siphon Pumps

Pump water based fluids, light oils, petroleum products, mild acids, corrosives, soaps, detergents, deodorants and liquid waxes. **Heavy Duty Plastic Pump** provides longer life when pumping aggressive chemicals. Also fits containers with 2" IPS female threads. Siphons at 7 gallons per minute. Plastic **Siphon Pump** features a bung adaptor that fits 15, 30 and 55 gallon containers with IPS 2" female threads. Siphons at 5 gallons per minute. Plastic **Pail Pump** fits 1, 2½ and 5 gallon containers. It's perfect for small carboys and cans. Siphons at 2 gallons per minute.

	1-11	12+
A. 83003 Heavy Duty Siphon Pump, 7 gpm	\$14.20	13.50
B. 83002 Siphon Pump, 5 gpm	10.60	10.10
C. 83004 Pail Pump, 2 gpm	3.35	3.20



Plastic Rotary Pumps

Rotary pumps provide superior chemical resistance and a fast flow rate of 8 gpm. Use the **Polypropylene Pump** for water based solutions of acids, alkalis and salts and organic solvents. The **Ryton Pump** is recommended for chlorinated solvents, aromatic and aliphatic hydrocarbons, etc. Both pumps feature a virgin, post-cured Viton shaft seal and Teflon™ flange gaskets. For applications that include an even wider variety of aggressive chemicals, the **Polypropylene and Ryton Pumps with Teflon Vanes** are recommended. Contact Technical Support for pump/chemical compatibility. **Polypropylene Repair Kit** includes: Teflon seal, ryton vane, 316 stainless steel spring, polypro spring shaft, 2 polyethylene gaskets and one complete set of nuts and bolts. **Ryton Repair Kit** includes: Teflon seal, ryton vane, 316 stainless steel spring, ryton spring shaft, 2 each teflon gaskets and one complete set of nuts and bolts. Pumps fit 15, 30 and 55 gallon drums.

	1-2	3+
A. 79524 Polypropylene Pump	\$77.15	73.30
B. 83052 Ryton Pump	124.15	117.95
84042 Polypropylene Pump with Teflon Vanes	95.55	90.80
84043 Ryton Pump with Teflon Vanes	147.25	139.90
83053 Polypropylene Repair Kit	33.50	31.85
83054 Ryton Repair Kit	52.90	50.30



Open Head Drum Lifter

This lifter is suitable for use with standard steel or poly drums with at least a 3/16" chime. The lifting arms are adjustable to work with most 55 or 30 gallon drums. A three-point contact of the lifting arms minimizes deformation of the drum, while providing proper alignment of the drum rim to the lifting arm for more secure lifting. Lifter also works on closed head drums.

28713	\$303.30
-----------------	----------



Control Messy Leaks and Spills

DIRECTSAFETY.

Drum Top Covers and Pillow Kits

Contain spills and soak up drips before they start.

- 100% polypropylene **Drum Top Covers** are available in Universal or Oil-Only or Hazmat materials. 22" diameter fits most 55 gallon drums. Sold by the case.
- **Pillow Kits** offer replaceable pillows and multi-use pans. Liquids are contained within the plastic pan that holds the pillows. Pillows have a large 10" X 10" surface area with high-capacity and fast-wicking filler.

Drum Top Cover	Absorption Capacity	1-4	5+
80736 Universal, 25/Case	9 Gallons	\$83.05	78.90
80737 Oil-Only, 25/Case	9 Gallons	87.90	83.55
80723 Hazmat, 25/Case	9 Gallons	90.55	86.05
Pillow Kit			
80961 Universal, 24 Pillows/12 Pans	11 Gallons	99.30	94.35
80962 Oil-Only, 12 Pillows/24 Pans	14 Gallons	99.30	94.35