



TUBE NUMBER: #4 (E403)  
SERIAL NUMBER: TYPICAL  
FLOAT MATERIAL: ST.ST.  
CERT FILE #: ETHYLENE#4

STD CONDITIONS: 1 ATMOS. & 70 DEG F  
GAS TEMPERATURE: 70 DEG F  
PRESSURE IN TUBE: 0 PSIG

SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE
150.0	1734.00	104.0	1215.81	58.0	699.26	31.0	359.96
149.0	1722.57	103.0	1204.82	57.0	687.28	30.0	347.00
148.0	1711.13	102.0	1193.83	56.0	675.25	29.0	334.05
147.0	1699.70	101.0	1182.85	55.0	663.17	28.0	321.12
146.0	1688.27	100.0	1171.88	54.0	651.04	27.0	308.20
145.0	1676.84	99.0	1160.91	53.0	638.85	26.0	295.31
144.0	1665.41	98.0	1149.94	52.0	626.62	25.0	282.46
143.0	1653.99	97.0	1138.98	51.0	614.33	24.0	269.64
142.0	1642.57	96.0	1128.02	50.0	602.00	23.0	256.88
141.0	1631.15	95.0	1117.06	49.0	589.62	22.0	244.17
140.0	1619.74	94.0	1106.10	48.0	577.18	21.0	231.52
139.0	1608.33	93.0	1095.14	47.0	564.70	20.0	218.95
138.0	1596.93	92.0	1084.18	46.0	552.17	19.0	206.47
137.0	1585.54	91.0	1073.21	45.0	539.59	18.0	194.08
136.0	1574.15	90.0	1062.24	44.0	526.98	17.0	181.79
135.0	1562.77	89.0	1051.26	43.0	514.31	16.0	169.62
134.0	1551.40	88.0	1040.28	42.0	501.61	15.0	157.58
133.0	1540.03	87.0	1029.28	41.0	488.87	14.0	145.67
132.0	1528.68	86.0	1018.27	40.0	476.09	13.0	133.91
131.0	1517.33	85.0	1007.25	39.0	463.28	12.0	122.32
130.0	1506.00	84.0	996.21	38.0	450.43	11.0	110.91
129.0	1494.68	83.0	985.16	37.0	437.56	10.0	99.69
128.0	1483.36	82.0	974.10	36.0	424.66	9.0	88.68
127.0	1472.06	81.0	963.01	35.0	411.75	8.0	77.88
126.0	1460.78	80.0	951.90	34.0	398.81	7.0	67.33
125.0	1449.50	79.0	940.77	33.0	385.87	6.0	57.03
124.0	1438.24	78.0	929.62	32.0	372.91	5.0	47.00
123.0	1426.99	77.0	918.44				
122.0	1415.75	76.0	907.23				
121.0	1404.53	75.0	896.00				
120.0	1393.32	74.0	884.74				
119.0	1382.13	73.0	873.44				
118.0	1370.95	72.0	862.11				
117.0	1359.78	71.0	850.75				
116.0	1348.63	70.0	839.35				
115.0	1337.49	69.0	827.91				
114.0	1326.36	68.0	816.43				
113.0	1315.25	67.0	804.92				
112.0	1304.16	66.0	793.36				
111.0	1293.07	65.0	781.76				
110.0	1282.00	64.0	770.11				
109.0	1270.94	63.0	758.42				
108.0	1259.89	62.0	746.68				
107.0	1248.86	61.0	734.90				
106.0	1237.83	60.0	723.07				
105.0	1226.82	59.0	711.19				

