



GAS EQUIPMENT TECHNOLOGY GROUP

UNITS : SCCM NITRIC OXIDE DATE : 09-27-1991  
TUBE NUMBER : #4(E406) TYPICAL STD CONDITIONS : 1 ATMOS. & 70 DEG F  
FLOAT NUMBER : 002 GAS TEMPERATURE : 70 DEG F  
FLOAT MATERIAL: 316 ST. STL. PRESSURE IN TUBE : 0 PSIG

SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE
150.0	1719.65	110.0	1296.97	70.0	829.54	30.0	312.70
149.0	1708.59	109.0	1286.20	69.0	816.89	29.0	300.19
148.0	1697.61	108.0	1275.38	68.0	804.20	28.0	287.75
147.0	1686.68	107.0	1264.52	67.0	791.47	27.0	275.39
146.0	1675.82	106.0	1253.63	66.0	778.71	26.0	263.09
145.0	1665.00	105.0	1242.69	65.0	765.92	25.0	250.87
144.0	1654.25	104.0	1231.71	64.0	753.09	24.0	238.74
143.0	1643.53	103.0	1220.69	63.0	740.23	23.0	226.69
142.0	1632.87	102.0	1209.62	62.0	727.34	22.0	214.73
141.0	1622.24	101.0	1198.50	61.0	714.42	21.0	202.86
140.0	1611.65	100.0	1187.34	60.0	701.48	20.0	191.10
139.0	1601.10	99.0	1176.14	59.0	688.51	19.0	179.43
138.0	1590.57	98.0	1164.88	58.0	675.52	18.0	167.88
137.0	1580.07	97.0	1153.58	57.0	662.52	17.0	156.44
136.0	1569.60	96.0	1142.22	56.0	649.49	16.0	145.11
135.0	1559.15	95.0	1130.82	55.0	636.45	15.0	133.91
134.0	1548.71	94.0	1119.37	54.0	623.39	14.0	122.83
133.0	1538.29	93.0	1107.86	53.0	610.32	13.0	111.89
132.0	1527.89	92.0	1096.31	52.0	597.24	12.0	101.08
131.0	1517.49	91.0	1084.71	51.0	584.16	11.0	90.41
130.0	1507.10	90.0	1073.05	50.0	571.07	10.0	79.89
129.0	1496.71	89.0	1061.34	49.0	557.98	9.0	69.52
128.0	1486.33	88.0	1049.59	48.0	544.89	8.0	59.31
127.0	1475.94	87.0	1037.78	47.0	531.80	7.0	49.25
126.0	1465.55	86.0	1025.92	46.0	518.72	6.0	39.37
125.0	1455.15	85.0	1014.01	45.0	505.65	5.0	29.66
124.0	1444.75	84.0	1002.05	44.0	492.59		
123.0	1434.33	83.0	990.03	43.0	479.55		
122.0	1423.90	82.0	977.97	42.0	466.52		
121.0	1413.46	81.0	965.86	41.0	453.51		
120.0	1402.99	80.0	953.70	40.0	440.52		
119.0	1392.51	79.0	941.49	39.0	427.57		
118.0	1382.00	78.0	929.23	38.0	414.64		
117.0	1371.48	77.0	916.93	37.0	401.74		
116.0	1360.92	76.0	904.58	36.0	388.88		
115.0	1350.34	75.0	892.18	35.0	376.07		
114.0	1339.73	74.0	879.74	34.0	363.29		
113.0	1329.09	73.0	867.25	33.0	350.56		
112.0	1318.42	72.0	854.72	32.0	337.89		
111.0	1307.72	71.0	842.15	31.0	325.26		