



UNITS : SCCM OXYGEN  
TUBE NUMBER : #4(E406) TYPICAL  
FLOAT NUMBER : 002  
FLOAT MATERIAL: GLASS

DATE : 03-18-1992  
STD CONDITIONS : 1 ATMOS. & 70 DEG F  
GAS TEMPERATURE : 70 DEG F  
PRESSURE IN TUBE : 20 PSIG

SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE
150.0	1282.75	110.0	961.59	70.0	599.82	30.0	203.45
149.0	1274.15	109.0	953.40	69.0	589.92	29.0	194.37
148.0	1265.62	108.0	945.17	68.0	579.98	28.0	185.38
147.0	1257.17	107.0	936.91	67.0	570.02	27.0	176.49
146.0	1248.78	106.0	928.60	66.0	560.03	26.0	167.70
145.0	1240.45	105.0	920.26	65.0	550.01	25.0	159.02
144.0	1232.18	104.0	911.87	64.0	539.98	24.0	150.45
143.0	1223.96	103.0	903.45	63.0	529.92	23.0	142.00
142.0	1215.79	102.0	894.98	62.0	519.84	22.0	133.67
141.0	1207.67	101.0	886.46	61.0	509.75	21.0	125.47
140.0	1199.59	100.0	877.91	60.0	499.64	20.0	117.40
139.0	1191.54	99.0	869.30	59.0	489.52	19.0	109.46
138.0	1183.54	98.0	860.65	58.0	479.39	18.0	101.67
137.0	1175.56	97.0	851.96	57.0	469.26	17.0	94.03
136.0	1167.61	96.0	843.22	56.0	459.11	16.0	86.54
135.0	1159.69	95.0	834.43	55.0	448.97	15.0	79.21
134.0	1151.79	94.0	825.59	54.0	438.83	14.0	72.04
133.0	1143.91	93.0	816.71	53.0	428.68	13.0	65.04
132.0	1136.04	92.0	807.78	52.0	418.55	12.0	58.22
131.0	1128.19	91.0	798.80	51.0	408.42	11.0	51.58
130.0	1120.34	90.0	789.77	50.0	398.30	10.0	45.12
129.0	1112.50	89.0	780.70	49.0	388.20	9.0	38.86
128.0	1104.67	88.0	771.58	48.0	378.12	8.0	32.79
127.0	1096.84	87.0	762.41	47.0	368.05	7.0	26.94
126.0	1089.00	86.0	753.19	46.0	358.01	6.0	21.29
125.0	1081.16	85.0	743.93	45.0	348.00	5.0	15.86
124.0	1073.32	84.0	734.62	44.0	338.01		
123.0	1065.46	83.0	725.26	43.0	328.06		
122.0	1057.60	82.0	715.86	42.0	318.15		
121.0	1049.72	81.0	706.42	41.0	308.28		
120.0	1041.83	80.0	696.93	40.0	298.45		
119.0	1033.92	79.0	687.39	39.0	288.67		
118.0	1025.98	78.0	677.82	38.0	278.94		
117.0	1018.03	77.0	668.20	37.0	269.27		
116.0	1010.05	76.0	658.55	36.0	259.65		
115.0	1002.05	75.0	648.85	35.0	250.10		
114.0	994.02	74.0	639.12	34.0	240.62		
113.0	985.96	73.0	629.34	33.0	231.21		
112.0	977.87	72.0	619.54	32.0	221.87		
111.0	969.75	71.0	609.70	31.0	212.62		