



GAS EQUIPMENT TECHNOLOGY GROUP

UNITS : SCCM OXYGEN DATE : 08-14-1991
 TUBE NUMBER : 601(E200) TYPICAL STD CONDITIONS : 1 ATMOS. & 70 DEG F
 FLOAT NUMBER : 002 GAS TEMPERATURE : 70 DEG F
 FLOAT MATERIAL: GLASS DELIVERY PRESSURE : 0 PSIG

SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE
150.0	80.9720	110.0	48.4096	70.0	22.8927	30.0	6.9177
149.0	80.1114	109.0	47.6688	69.0	22.3735	29.0	6.6411
148.0	79.2519	108.0	46.9326	68.0	21.8604	28.0	6.3701
147.0	78.3936	107.0	46.2012	67.0	21.3534	27.0	6.1047
146.0	77.5366	106.0	45.4744	66.0	20.8526	26.0	5.8448
145.0	76.6810	105.0	44.7525	65.0	20.3580	25.0	5.5905
144.0	75.8271	104.0	44.0355	64.0	19.8696	24.0	5.3416
143.0	74.9747	103.0	43.3234	63.0	19.3873	23.0	5.0982
142.0	74.1242	102.0	42.6163	62.0	18.9113	22.0	4.8602
141.0	73.2755	101.0	41.9142	61.0	18.4415	21.0	4.6275
140.0	72.4288	100.0	41.2172	60.0	17.9778	20.0	4.4001
139.0	71.5842	99.0	40.5254	59.0	17.5204	19.0	4.1780
138.0	70.7417	98.0	39.8388	58.0	17.0692	18.0	3.9610
137.0	69.9015	97.0	39.1574	57.0	16.6242	17.0	3.7492
136.0	69.0637	96.0	38.4814	56.0	16.1854	16.0	3.5425
135.0	68.2284	95.0	37.8107	55.0	15.7528	15.0	3.3408
134.0	67.3957	94.0	37.1453	54.0	15.3263	14.0	3.1441
133.0	66.5656	93.0	36.4854	53.0	14.9061	13.0	2.9523
132.0	65.7383	92.0	35.8310	52.0	14.4921	12.0	2.7654
131.0	64.9138	91.0	35.1822	51.0	14.0842	11.0	2.5833
130.0	64.0923	90.0	34.5388	50.0	13.6825	10.0	2.4060
129.0	63.2738	89.0	33.9011	49.0	13.2870	9.0	2.2333
128.0	62.4584	88.0	33.2690	48.0	12.8976	8.0	2.0653
127.0	61.6463	87.0	32.6427	47.0	12.5143	7.0	1.9019
126.0	60.8374	86.0	32.0220	46.0	12.1372	6.0	1.7429
125.0	60.0319	85.0	31.4070	45.0	11.7661	5.0	1.5884
124.0	59.2299	84.0	30.7979	44.0	11.4012		
123.0	58.4314	83.0	30.1946	43.0	11.0423		
122.0	57.6366	82.0	29.5971	42.0	10.6894		
121.0	56.8455	81.0	29.0055	41.0	10.3426		
120.0	56.0582	80.0	28.4198	40.0	10.0017		
119.0	55.2747	79.0	27.8400	39.0	9.6669		
118.0	54.4952	78.0	27.2662	38.0	9.3380		
117.0	53.7197	77.0	26.6983	37.0	9.0150		
116.0	52.9483	76.0	26.1365	36.0	8.6979		
115.0	52.1810	75.0	25.5807	35.0	8.3867		
114.0	51.4180	74.0	25.0309	34.0	8.0814		
113.0	50.6593	73.0	24.4872	33.0	7.7818		
112.0	49.9049	72.0	23.9496	32.0	7.4880		
111.0	49.1550	71.0	23.4181	31.0	7.2000		