



GAS EQUIPMENT TECHNOLOGY GROUP

UNITS : SCCM PROPANE DATE : 08-30-1991
TUBE NUMBER : 601(E200) TYPICAL STD CONDITIONS : 1 ATMOS. & 70 DEG F
FLOAT NUMBER : 002 GAS TEMPERATURE : 70 DEG F
FLOAT MATERIAL: GLASS PRESSURE IN TUBE : 50 PSIG

SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE
150.0	475.371	110.0	350.667	70.0	200.650	30.0	59.305
149.0	472.400	109.0	347.233	69.0	196.715	29.0	56.653
148.0	469.433	108.0	343.780	68.0	192.784	28.0	54.071
147.0	466.468	107.0	340.307	67.0	188.856	27.0	51.563
146.0	463.504	106.0	336.814	66.0	184.933	26.0	49.129
145.0	460.540	105.0	333.302	65.0	181.017	25.0	46.773
144.0	457.576	104.0	329.771	64.0	177.108	24.0	44.497
143.0	454.609	103.0	326.220	63.0	173.208	23.0	42.304
142.0	451.640	102.0	322.650	62.0	169.318	22.0	40.195
141.0	448.667	101.0	319.061	61.0	165.439	21.0	38.173
140.0	445.689	100.0	315.453	60.0	161.573	20.0	36.241
139.0	442.706	99.0	311.826	59.0	157.721	19.0	34.401
138.0	439.715	98.0	308.182	58.0	153.884	18.0	32.656
137.0	436.718	97.0	304.519	57.0	150.064	17.0	31.008
136.0	433.712	96.0	300.838	56.0	146.263	16.0	29.460
135.0	430.697	95.0	297.141	55.0	142.481	15.0	28.015
134.0	427.673	94.0	293.426	54.0	138.721	14.0	26.675
133.0	424.638	93.0	289.694	53.0	134.984	13.0	25.442
132.0	421.592	92.0	285.947	52.0	131.271	12.0	24.320
131.0	418.534	91.0	282.184	51.0	127.584	11.0	23.312
130.0	415.463	90.0	278.405	50.0	123.925	10.0	22.419
129.0	412.379	89.0	274.612	49.0	120.295	9.0	21.645
128.0	409.281	88.0	270.805	48.0	116.696	8.0	20.993
127.0	406.170	87.0	266.984	47.0	113.129	7.0	20.466
126.0	403.043	86.0	263.150	46.0	109.598	6.0	20.065
125.0	399.901	85.0	259.304	45.0	106.102	5.0	19.795
124.0	396.743	84.0	255.447	44.0	102.645		
123.0	393.568	83.0	251.578	43.0	99.227		
122.0	390.377	82.0	247.699	42.0	95.851		
121.0	387.169	81.0	243.810	41.0	92.519		
120.0	383.944	80.0	239.913	40.0	89.232		
119.0	380.700	79.0	236.008	39.0	85.992		
118.0	377.439	78.0	232.096	38.0	82.802		
117.0	374.159	77.0	228.177	37.0	79.663		
116.0	370.860	76.0	224.253	36.0	76.578		
115.0	367.543	75.0	220.325	35.0	73.548		
114.0	364.207	74.0	216.393	34.0	70.576		
113.0	360.851	73.0	212.458	33.0	67.664		
112.0	357.476	72.0	208.522	32.0	64.813		
111.0	354.081	71.0	204.586	31.0	62.026		