



GAS EQUIPMENT TECHNOLOGY GROUP

UNITS : SCCM PROPYLENE DATE : 02-18-1992
TUBE NUMBER : 602(E300) TYPICAL STD CONDITIONS : 1 ATMOS. &70 DEG F
FLOAT NUMBER : 002 GAS TEMPERATURE : 70 DEG F
FLOAT MATERIAL: GLASS PRESSURE IN TUBE : 0 PSIG

SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE	SCALE READING	FLOW RATE
150.0	444.373	110.0	318.534	70.0	192.024	30.0	64.076
149.0	440.832	109.0	315.520	69.0	188.706	29.0	61.288
148.0	437.326	108.0	312.501	68.0	185.383	28.0	58.539
147.0	433.856	107.0	309.477	67.0	182.057	27.0	55.830
146.0	430.419	106.0	306.449	66.0	178.729	26.0	53.163
145.0	427.015	105.0	303.414	65.0	175.398	25.0	50.539
144.0	423.641	104.0	300.373	64.0	172.066	24.0	47.959
143.0	420.297	103.0	297.325	63.0	168.733	23.0	45.427
142.0	416.980	102.0	294.271	62.0	165.400	22.0	42.942
141.0	413.691	101.0	291.209	61.0	162.067	21.0	40.508
140.0	410.426	100.0	288.139	60.0	158.736	20.0	38.126
139.0	407.185	99.0	285.062	59.0	155.407	19.0	35.797
138.0	403.967	98.0	281.976	58.0	152.080	18.0	33.524
137.0	400.769	97.0	278.882	57.0	148.757	17.0	31.308
136.0	397.592	96.0	275.780	56.0	145.439	16.0	29.152
135.0	394.434	95.0	272.668	55.0	142.126	15.0	27.056
134.0	391.293	94.0	269.548	54.0	138.819	14.0	25.024
133.0	388.169	93.0	266.418	53.0	135.519	13.0	23.056
132.0	385.060	92.0	263.280	52.0	132.227	12.0	21.156
131.0	381.965	91.0	260.132	51.0	128.945	11.0	19.324
130.0	378.883	90.0	256.975	50.0	125.672	10.0	17.564
129.0	375.813	89.0	253.808	49.0	122.410	9.0	15.877
128.0	372.754	88.0	250.632	48.0	119.160	8.0	14.265
127.0	369.705	87.0	247.447	47.0	115.924	7.0	12.730
126.0	366.665	86.0	244.252	46.0	112.702	6.0	11.274
125.0	363.633	85.0	241.048	45.0	109.495	5.0	9.900
124.0	360.608	84.0	237.836	44.0	106.304		
123.0	357.589	83.0	234.614	43.0	103.132		
122.0	354.576	82.0	231.383	42.0	99.978		
121.0	351.566	81.0	228.144	41.0	96.844		
120.0	348.560	80.0	224.897	40.0	93.731		
119.0	345.558	79.0	221.641	39.0	90.642		
118.0	342.556	78.0	218.377	38.0	87.576		
117.0	339.557	77.0	215.106	37.0	84.535		
116.0	336.557	76.0	211.828	36.0	81.521		
115.0	333.558	75.0	208.542	35.0	78.535		
114.0	330.557	74.0	205.250	34.0	75.579		
113.0	327.555	73.0	201.952	33.0	72.653		
112.0	324.551	72.0	198.648	32.0	69.760		
111.0	321.544	71.0	195.339	31.0	66.900		