



Argon

Equipment Recommendations	Model No.	Page No.
Single Stage Regulator	Series 3530-CGA*	313
Mini High Purity Regulator	Series 3550-180	314
Low Dead Volume Regulator (for Concentrations < 50ppm)	Series 3590-CGA*	315

Balance Gas	Concentration Range	Matheson Mixtures Grades						Cylinder Size	CGA*	Contents		Pressure		Approximate Ship Weight		
		MR	P	C+	C	U	G			US	Metric	psig	kPa	lb	kg	
Helium	10 ppm - 1000 ppm			•	•	•	•	1A	580	202 ft ³	5.72 m ³	2,000	13,790	133	60	
								2	580	79 ft ³	2.24 m ³	2,000	13,790	74	34	
								3	580	34 ft ³	0.96 m ³	2,000	13,790	39	18	
								6R	180	3.51 ft ³	99 L	1,800	12,411	2	1	
	1000 ppm - 49 %			•	•	•	•	1A	580	202 ft ³	5.72 m ³	2,000	13,790	133	60	
								2	580	79ft ³	2.24 m ³	2,000	13,790	74	34	
								3	580	34 ft ³	0.96 m ³	2,000	13,790	39	18	
								6R	180	3.51 ft ³	99 L	1,800	12,411	2	1	
Hydrogen	10 ppm - 1000 ppm				•	•	•	1A	350	200 ft ³	5.66 m ³	2,000	13,790	133	60	
								2	350	78 ft ³	2.21 m ³	2,000	13,790	74	34	
								3	350	33 ft ³	0.93 m ³	2,000	13,790	39	18	
								6R	180	3.48 ft ³	98 L	1,800	12,411	2	1	
	1000 ppm - 49%				•	•	•	•	1A	350	200 ft ³	5.66 m ³	2,000	13,790	133	60
									2	350	78 ft ³	2.21 m ³	2,000	13,790	74	34
									3	350	33 ft ³	0.93 m ³	2,000	13,790	39	18
									6R	180	3.48 ft ³	98 L	1,800	12,411	2	1
Nitrogen	20 ppm - 1000 ppm			•	•	•	•	1A	580	213 ft ³	6.08 m ³	2,000	13,790	133	60	
								2	580	83 ft ³	2.35 m ³	2,000	13,790	74	34	
								3	580	35 ft ³	0.99 m ³	2,000	13,790	39	18	
								6R	180	3.69 ft ³	106 L	1,800	12,411	2	1	
	1000 ppm - 49%			•	•	•	•	•	1A	580	213 ft ³	6.08 m ³	2,000	13,790	133	60
									2	580	83 ft ³	2.35 m ³	2,000	13,790	74	34
									3	580	35 ft ³	0.99 m ³	2,000	13,790	39	18
									6R	180	3.69 ft ³	106 L	1,800	12,411	2	1

Key for Matheson Mixtures Grades:

MR = Matheson Reference Standard C+ = Certified Plus Standard U = Unanalyzed Standard
P = Primary Standard C = Certified Standard G = Gravimetric Standard

For more information on Matheson Mixture Grades, please refer to pages 66 - 68.