



Tri-Action Tank Safety Vent

The Tri-Action Tank Safety Vent is used as a pressure relief device to avoid vacuum or over pressurization inside a tank or piping system.

- Standard 2" Tri-clamp connection
- Large 1/4" FNPT gas port
- Stainless steel construction
- Can be used with positive pressure system
- Other sizes and connections available

Sealer

Through the unique design of the Tri-Action Tank Safety Vent, the tank is automatically sealed from ambient air once blanketing, bottling, or pumping operations have ceased.

Pressure Relief

The Tri-Action Tank Safety Vent is designed to relieve pressure within the tank at 1 psi.

Vacuum Breaker

The Tri-Action Tank Safety Vent drops to a safe working vacuum of 0.09 psi.

Ordering Information

Part Number	Pressure Rating @ 70°F	Flow	Ship Weight
DIX TVPC200300	3 psi	250 GPM	2.6 lb



Long Radius Racking Arm

- Used to transfer beer from barrels in place
- Stainless steel construction
- Shown with 1-1/2" Tri-clamp connection
- Custom lengths and sizes available

Ordering Information

Part Number	Length	Diameter	Width	Ship Weight
MWB RACKARMLONG	36"	1"	18"	6 lb



Standard Racking Arm

- Used to transfer beer from barrels or kegs
- Easy to use with a single level of barrels
- Stainless steel construction
- Shown with 1-1/2" Tri-clamp connection
- Custom lengths and sizes available

Ordering Information

Part Number	Length	Diameter	Width	Ship Weight
MWB RACKINGARM	34"	1"	3"	8 lb



Deluxe Racking Arm

- Used to transfer beer from barrels or kegs
- Site glass
- Adjustable foot
- Stainless steel construction
- Shown with 1" full port stainless steel ball valve
- Custom lengths and sizes available

Ordering Information

Part Number	Length	Diameter	Width	Ship Weight
MWB DLXRACKNGARM	36"	1"	7"	8 lb





Shown with SO₂ Wrench and SO₂ Hose

SO₂ Barrel Gassing Unit

Prepare barrels for storage quickly and easily by controlling the bacteria and mold. The SO₂ Barrel Gassing Unit is designed to put measured amounts of SO₂ into empty barrels prior to storage.

Ordering Information

Part Number	Height	Width	Hose Length	Ship Weight
MWB SO2BGU25	5"	12"	25'	8 lb
MWB SO2BGU50	5"	12"	50'	10 lb
MWB SO2BGU75	5"	12"	75'	14 lb

Gentle Giant

The Gentle Giant uses gas pressure to transfer beer allowing easily controlled, gentle flow without agitation or oxidation.

Features:

- Adjustable foot and bung for use with various sizes of barrels and kegs
- Stainless steel construction
- Built-in 15 psi stainless steel safety relief valve to prevent over pressurization
- 1-1/2" Tri-clamp connection
- Used with Carbon Dioxide or Nitrogen
- Shown with short Sight Glass
- Custom lengths available

Ordering Information

Part Number	Length	Diameter	Width	Ship Weight
MWB BARRELMASTER	36"	1"	12"	10 lb
MWB BRLMASTER114	36"	1-1/4"	12"	10 lb



Barrel Cleaning Wand with Foot

- Used with a 7" barrel rack
- Stainless steel construction
- Shown with rotating spray head and 3/4" full port stainless steel ball valve

Ordering Information

Part Number	Height	Diameter	Length	Ship Weight
MWB BCWANDFOOT	19"	1"	19"	8 lb



Spring Loaded Barrel Cleaning Wand

- Used with any barrel rack
- Spring loaded for hands free operation
- Stainless steel construction
- Shown with rotating spray head and 3/4" full port stainless steel ball valve

Ordering Information

Part Number	Length	Diameter	Width	Ship Weight
MWB WASHWANDSPR	28"	1"	5"	8 lb





Spray Balls

Spray balls are the most widely used tank and barrel cleaning method for sanitary applications.

Features:

- Durable stainless steel construction
- Stationary and rotating
- 3/4" FNPT and pinned connections
- Easy mounting
- Photo shows sizes and styles available
- Rebuild kit available*

Ordering Information

Part Number	Height	Diameter	Ship Weight
SSP 2	3"	1-1/4"	2 lb

* Rebuild Kit (p/n SSP REBUILDKIT)



Stainless Steel Pails

- Available in 3.5 and 5 gallon sizes

Ordering Information

Part Number	Description	Height	Diameter	Ship Weight
TWM 5055PAIL09HL	3.5 Gallon	14"	12"	5 lb
TWM 5055PAIL18H	5 Gallon	14"	16"	10 lb



A Frame Parts Board

Used to store and clean brewery parts.

Features:

- Perforated stainless steel allows for various layout of parts
- Stainless steel construction
- Two lockable swivel stainless steel casters for easy maneuverability
- Open center allows for multiple storage
- Designed to fit through 36" doorways
- Custom configurations available
- Stainless steel pegs sold separately

Ordering Information

Part Number	Height	Width	Length	Ship Weight
MWB PARTSBOARD	52"	34"	52"	175 lb

