

Batch Freezer

The batch freezers are available in one- and two- door configuration and are designed to operate with liquid nitrogen (LN₂). The freezers are capable of freezing and chilling a wide variety of products:

- **Meat**
- **Poultry**
- **Seafood**
- **Prepared entrees**
- **Bagels**
- **Pizza**

Key benefits of Matheson Tri-Gas Batch Freezer:

- Low cryogen and power consumption
- Automatic temperature control
- Quick cool-down
- Low maintenance requirements
- Customizable stainless steel or aluminum tray configurations
- Optional stainless steel tray carts, wheeled carts and transfer dollies
- Optional proportional temperature control
- Meets USDA and OSHA requirement

Specifications:




- | | |
|---|-------------------------|
| • Double door freezer dimensions (H x W x D): | 62" x 92" x 40" |
| • Single door freezer dimensions (H x W x D): | 62" x 45" x 40" |
| • Dolly dimensions (HxWxD): | 58" x 18-1/4" x 29-1/4" |
| • Capacity: | 19 trays per dolly |
| • Tray dimensions: | 18" x 26" |
| • Freezer construction: | Stainless Steel |
| • Electrical requirements: | 110V/1Ø or 230/460V/3Ø |




**MATHESON
TRI•GAS**

ask . . The Gas Professionals™

Single Door Batch Freezer



Two Door Batch Freezer



Specifications are subject to change. Please check www.mathesontrigas.com for most current information.
MATHESON TRI-GAS is a registered trademark of Matheson Tri-Gas Inc.



**MATHESON
TRI•GAS**

ask . . .The Gas Professionals™