

# MATHESON STACK EMISSION CALIBRATION PROGRAM

"Experience the MATHESON Commitment to Supply Chain Excellence"





# MATHESON STACK EMISSION CALIBRATION PROGRAM



"Experience the MATHESON Commitment to Supply Chain Excellence"

MATHESON is a single source for industrial, medical, specialty, and electronics gases ... as well as gas handling equipment, high-performance purification systems, engineering and gas management services, and onsite gas generation.

MATHESON is the largest subsidiary of the Taiyo Nippon Sanso Corporation, one of the five largest suppliers of gases in the world. We have a depth of technology and resources that can come only from a global enterprise.

We also work hard to hold onto our local values, with personalized service and a real interest in understanding – and resolving – your gas use and management requirements.

Our mission is to deliver innovative improvements ... in ways that have tangible benefit and cost effectiveness for our customers.

MATHESON is an established manufacturer of NIST traceable calibration gas mixtures for Stack Emissions Monitoring and environmental compliance. MATHESON offers standard and custom EPA Protocol and daily standard gas mixtures complying with Federal and State regulations. The MATHESON EPA Protocol gases are in aluminum cylinders, with 1% certification accuracy validated using direct NIST traceability. MATHESON Acid Rain CEM grade Air and Nitrogen meet the U.S. EPA zero gas specifications.

MICRO MAT 105L

WATER MICRO MAT 17L

10L

WATER MICRO MAT 17L

10L

WATER MICRO MAT 17L

WATER MICRO MAT 17L

WATER MICRO MAT 17L

WATER MICRO MAT 17L

WATER MICRO MAT 14L

WATE

MATHESON's commitment to accuracy and quality is validated by our accomplishment of ISO 17025 accreditation of EPA Protocol and Cal-MAT grade standards in 2015.


For U.S. EPA regulated minor components, MATHESON has an automated dynamic blending system. Dynamic blending ensures very tight blend tolerances, plus the system has capability to conduct +/-1.0% certification accuracy that is required of 40CFR60 daily standards. For the 40CFR75 and 40CFR60 compliant EPA Protocols with +/-1% certification accuracy, MATHESON always conducts individual cylinder analysis and certification on our automated NDIR/ chemiluminescent instrument benches. MATHESON maintains NIST SRM, NIST NTRM, and VSL PRM to achieve the +/-1% accuracy – and minimize cylinder to cylinder biases.

The MATHESON Microshield treatment of the inner cylinder surfaces maximizes the reactive minor component stability. While all EPA Protocol manufacturers must apply the standard U.S. EPA shelf-lives, MATHESON Microshield treatments ensure that the minor component concentrations stay within the +/-1% certification accuracy for the duration of the shelf-life.

When repeatability and high volume are keys to your success, MATHESON also uses the UniBlend automated batch blending technology for 2-12 identical cylinders.

Our 85+ years of experience in industrial gas applications and equipment makes MATHESON an ideal provider for your gas, equipment, and services requirements.

Call us at **800-416-2505** or email us at **info@mathesongas.com** and let us know how we can help you.



The MATHESON Stack Emission Calibration Program will maximize your operating efficiencies by addressing the six key parameters that customers must have from their suppliers to achieve supply chain excellence.

- CONVENIENCE using the MATHESON Item Master process that ensures fast re-ordering
- QUALITY system certification to ensure consistent reliability and safety; plus continuous efforts to reduce lead-times and on-time deliveries. MATHESON participates in the U.S. EPA Protocol Gas Verification Program
- PRODUCTS and measurement systems designed to comply with the certification accuracy for the duration of the shelflife; also NO<sub>x</sub> mixtures often have less than 1% relative NO<sub>2</sub> impurity
- HEALTH & SAFETY hazardous gas monitoring products plus equipment design integrity to protect your personnel and work environment
- **SUPPORT** whenever you need it from our sales, technical and service support teams
- **DELIVERY** options tailored to your operating needs

### **CONVENIENCE**

### The MATHESON Item Master Process

MATHESON works with our customers to capture all gas mixture components, concentrations, mixture grade and cylinder size. All of this information is applied order after order, and cylinder after cylinder. All you have to tell us is your item number.

#### **Additional MATHESON Convenience Features:**

- Selected stocked products to provide emergency or "24-hour" delivery service
- Additional Certificate of Analysis copy available on request


## **QUALITY**

# Systems Designed for EPA Protocol Gas Mixture Optimization

- ISO 9001:2008 Certified Manufacturing Facilities: Gas and equipment products manufactured to international industry standards
- ISO 17025: 2005 Accreditation: Confirms laboratory and technical programs capable of the accuracy and stability of EPA Protocols
- U.S. EPA Verified: Participation in the U.S. EPA Protocol Gas Verification Program
- Direct NIST Traceability: EPA Protocols with direct NIST traceability from use of NIST SRM and NTRM during laboratory analysis
- **Stability:** Microshield cylinder treatments that ensure the long term stability of reactive minor components, plus minimization of the NO<sub>2</sub> impurity in NO<sub>x</sub> EPA Protocols
- "C of A's": Certificates of Analysis that provide the U.S. EPA contents for EPA Protocols, plus MATHESON includes the measurement triad data to gauge the high precision of the MATHESON measurement systems
- Automation: Automated analysis, data acquisition, calculations, and generation of the Certificate of Analysis that provides high volume capacity plus enhances accuracy of the certificate of analysis contents

# **Analyzers used for MATHESON EPA Protocol Mixture Testing and Certification**

Analyzer Principle	Measures
NDIR: Non Dispersive Infrared	<ul><li>Carbon Monoxide</li><li>Sulfur Dioxide</li><li>Carbon Dioxide</li></ul>
Chemiluminescent	<ul><li>Nitric Oxide</li><li>Nitrogen Dioxide</li><li>Total NOx</li></ul>
FID (Flame Ionization Detector)	<ul><li> Methane</li><li> Propane</li><li> Total Hydrocarbons</li></ul>
Paramagnetic	Oxygen



# **PRODUCTS**

# **Products for Stack Emissions and Monitoring**

Utility Analyzer	Test for	Zero Gases	Quarterly Calibration Gases	40CFR60 Daily Gases
NDIR	Carbon Monoxide	Nitrogen, CEM	EPA Protocol Concentrations from: ≥ 2 ppm in Nitrogen	CalMat 1, CalMat 2 Certified Plus Grade Concentrations from: ≥ 2 ppm in Nitrogen
NDIR	Carbon Dioxide	Nitrogen, CEM	EPA Protocol Concentrations from: ≥ 100 ppm in Nitrogen	CalMat 1, CalMat 2 Certified Plus Grade Concentrations from: ≥ 100 ppm in Nitrogen
NDIR	Sulfur Dioxide	Nitrogen, CEM	EPA Protocols Concentration from: ≥ 10 ppm	CalMat 1, CalMat 2 Certified Plus Grade Concentrations from: ≥ 10 ppm
Chemiluminescent	NO and NO <sub>x</sub>	Nitrogen, CEM	EPA Protocol Concentrations from: ≥ 2 ppm in Nitrogen	CalMat 1, CalMat 2 Certified Plus Grade Concentrations from: ≥ 2 ppm in Nitrogen
FID	Propane, Methane	• FID Fuel • 40% Hydrogen/Balance Helium • Air CEM grade	EPA Protocol Concentrations from: ≥ 0.3 ppm in Air	CalMat 1, CalMat 2 or Certified Plus Concentrations from: ≥ 0.3 ppm in Air

# **Calibration Gas Chart for Stack Emissions and Monitoring**

Polluter	U.S. Regulation	Daily CEMs	Quarterly CEMs	Annual CEMs
Stationary Gas Turbines NO <sub>x</sub> O <sub>2</sub> , SO <sub>2</sub> , CO	40CFR Part 60 subpart GG	<ul> <li>Daily Zero and Span Check</li> <li>CEM Zero Air or N₂ Gas</li> <li>Span Gas CalMat 2</li> </ul>	<ul><li>Linearity</li><li>3-Point Test</li><li>EPA Protocols</li></ul>	RATA/once/yr EPA Protocols; Agree with Auditor at 15% Accuracy
Industrial & Utility Stacks Plus Cogeneration Plants SO <sub>2</sub> , NO <sub>x</sub> , O <sub>2</sub> or CO <sub>2</sub>	40CFR Part 60	<ul> <li>Daily Zero and Span Check</li> <li>CEM Zero Air or N₂ Gas</li> <li>Span Gas CalMat 2</li> </ul>	<ul><li>Cyl. Gas Audit</li><li>2-Point Test</li><li>EPA Protocols</li></ul>	RATA/once/yr EPA Protocols; Agree with Auditor at 20% Accuracy
Acid Rain Utilities SO <sub>2</sub> , NO <sub>x</sub> , CO <sub>2</sub> Diluent	40CFR Part 75	<ul> <li>Daily Zero and Span Check</li> <li>EPA Protocols</li> <li>Acid Rain CEM Zero Air or N<sub>2</sub> Gas</li> </ul>	<ul><li>Linearity</li><li>3-Point Test</li><li>EPA Protocols</li></ul>	RATA/once/yr EPA Protocols; Agree with Auditor at 10% Accuracy; If agree < 7.5% can exempt one quarterly test
Also: HCl	MACT issued December, 2011	HCl is periodically measured to validate the system as meeting the U.S. EPA MACT standard		
Boiler & Industrial Furnaces SO <sub>2</sub> , NO <sub>x</sub> , O <sub>2</sub> or CO <sub>2</sub>	40CFR Part 266	<ul> <li>Daily Zero and Span Check</li> <li>CEM Zero Air or N<sub>2</sub> Gas</li> <li>Span Gas CalMat 2</li> </ul>	<ul><li>Linearity</li><li>3-Point Test</li><li>EPA Protocols</li></ul>	RATA/once/yr EPA Protocols; Agree with Auditor at 15% Accuracy
Municipal Waste Combustors $SO_2$ , $NO_x$ , $O_2$ or $CO_2$ Some states require HCl	40CFR Part 60 subpart Ea	<ul> <li>Daily Zero and Span Check</li> <li>CEM Zero Air or N₂ Gas</li> <li>Span Gas CalMat 2</li> </ul>	<ul><li>Linearity</li><li>3-Point Test</li><li>EPA Protocols</li></ul>	RATA/once/yr EPA Protocols; Agree with Auditor at 15% Accuracy
Portland Cement Kilns CO, SO <sub>2</sub> , NO <sub>x</sub>	40CFR Part 60 subpart F	<ul> <li>Daily Zero and Span Check</li> <li>CEM Zero Air or N<sub>2</sub> Gas</li> <li>Span Gas CalMat 2</li> </ul>	• Linearity • 3-Point Test • EPA Protocols	RATA/once/yr EPA Protocols; Agree with Auditor at 15% Accuracy
Also: THC, HCI	New Source Performance Standard in 2013	NSPS requires validation		
Refineries	40CFR Part 60 subpart J	Refer to the Refinery Brochure		

# **EPA Protocol Certificate of Analysis Content**

- Certificates of Analysis and Cylinder Tags Comply with U.S. EPA Protocol documentation requirements
- MATHESON reports NOx as a reported value per the latest revision of U.S. EPA Method 7E for Nitric Oxide EPA Protocols
- MATHESON adds the measurement triad data to demonstrate our excellent measurement precision



#### **HEALTH & SAFETY**

#### **Monitoring for OSHA Compliance**

- MATHESON Portables LEL and H<sub>2</sub>S/CO/Methane/Air mixtures for your safety and industrial health programs.
   Many more standard and custom mixtures and pure gases, and gas delivery products are available (see the MATHESON Portables Catalog)
- Gas Cabinets and Panels for safe gas handling and delivery to point of use
- Hazardous gas monitoring systems including fixed and portable instruments, plus Kitagawa tubes
- On-site safety training programs and education products to enhance and improve safety awareness



#### **SUPPORT**

#### **MATHESON Technical and Service Support:**

- Expert Mixture Phase Engineering using state-of- the-art software
- Specialty Gas Team who understand stack emissions products and cylinder package options - (Product Manager, Technical Service Coordinator, Gas Operations Team, and Customer Service Team)
- Personalized service at your door with field sales, and on the phone with dedicated customer service representatives
- Dedicated customer service representatives assigned to your account
- MATHESON's Customer Arrangements systematize your products and pricing

# **MATHESON Equipment To Support Facility Gas Usage:**

- Cylinder regulators for quantitative gas delivery
- Gas panels for control of gas supplies
- Automated manifolds and alarms for control of high volume gas usage

#### **DELIVERY**

- Designed to suit your facility and operating hours
- Options for delivery



MATHESON is committed, without limitation, to be your "go to" company for maximizing profits and minimizing operating costs.

Thank you for your interest in our specialty gas and equipment products. For more information, please visit the MATHESON website @ www.mathesongas.com, or call our customer service center @ 800-416-2505 to have one of our sales representatives contact you directly.



# **MATHESON'S EPA Protocol Certificate of Analysis:** The passport to Measurement Quality and Reliability

	ATHES		0.475					1700 Scepter Rd Waverly, TN 37185 931-296-3357
The C	Gas Professi	onals	Certificate	of Anal	ysis - EPA Protoco	ol Mixtu	res	
Customer								
					Protocol:	Refere		Lot#
					G1	T19946	66-01	9304610861
Cylinder Number:				DO 1	OT USE THE OVER	IDED WI	IEN THE DD	CCUPE
Cylinder Pressure:	1900psig			DO NOT USE THIS CYLINDER WHEN THE F FALLS BELOW 100 PSIG				:SSURE
Last Analysis Date	8/27/2014		L					
Expiration Date:	8/28/2022				REPLICATE RESP	ONSES	3	
Component		Sulfur Dioxide		Date:	8/20/2015 199.3	Date:	8/27/2015 199.3	
Certified Conc	199.4ppm	+/-0.6ppm ABS			199.5 199.6		199.4 199.5	
Component		Nitric Oxide		Date:	8/13/2015 199.4	Date:	8/20/2015 198.2	
Certified Conc		+/-0.6ppm ABS  Carbon Monoxide		Date:	199.3 199.0 8/13/2015		198.2 198.0	
Certified Conc		+/-0.7ppm ABS		2410.	199.0 198.8			
Component		Carbon Dioxide		Date:	198.9 8/13/2015			
Certified Conc	8.93%	+/-0.03% ABS			8.94 8.93 8.93			
NOx	198.7ppm	REFERENCE ONLY			0.00			
BALANCE GAS:		Nitrogen						
REFERENCE STANDA	ARDS:							
Component	Sulfur Dioxide	Component:	Nitric Oxide		Component:	Carbon	Monoxide	Carbon Dioxide
Reference Standard	: SRM	Reference Standard:	SRM		Reference Standard:	SRM		PRM
Cylinder #	FF22324	Cylinder #:	CAL017987		Cylinder #:	FF2078	3	D249793
Concentration		Concentration:			Concentration:			19.814%
Exp. Date:		Exp. Date:			Exp. Date:		21	10/3/2017
NIST Sample#		NIST Sample#			NIST Sample#			VSL Primary
·	Sulfur Dioxide	Component:			Component:			Carbon Dioxide
	Horiba VIA-510		Horiba CLA-5	510SS	Make/Model:			Horiba VIA-510
Serial Number		Serial Number:			Serial Number:		oog	41679080021
Measurement Principle:	NDIR	Measurement Principle:		Me	easurement Principle:			NDIR
Last Calibration	8/20/2014	Last Calibration:	7/21/2014		Last Calibration:	7/14/20	14	8/11/2014
	Notes:							
	rds May 2012,	ccording to EPA Trace using procedure G1 a ion Date: 01/01/15, F	nd/or G2. L	J.S EPA	Vendor ID Numb			
Analyst:					Data	8/27/20	115	

**Equipment Technology Center** 166 Keystone Drive Montgomeryville, PA 18936 Tel: 800.416.2505

Fax: 215.619.0458

Email: Info@mathesongas.com www.mathesongas.com

Copyright 2022 Matheson Tri-Gas, Inc. All Rights Reserved.

All contents of this document are subject to change without notice and do not represent a commitment on the part of Matheson Tri-Gas, Inc. Every effort is made to ensure the accuracy of this information. However, due to differences in actual and ongoing operational processes and product improvements and revisions, Matheson Tri-Gas, Inc. cannot guarantee the accuracy of this material, nor can it accept responsibility for errors or omissions. This document is intended to serve as a general orientation and cannot be relied upon for a specific operation. No warranties of any nature are extended by the information contained in these copyrighted materials.





www.mathesongas.com