



Propane

Description

Formula: C₃H₈

Gas Data

Molecular Weight: 44.10
 Density: 1.8580 kg/m³ @ 21.1°C, 101.325 kPa
 0.11599 lb/ft³ @ 70°F, 14.696 psia
 Specific Volume: 0.53821 m³/kg @ 21.1°C, 101.325 kPa
 8.6214 ft³/lb @ 70°F, 14.696 psia

Safety Information

LFL in Air: 2.1%
 UFL in Air: 9.5%

Shipping Information

CAS Registry Number: 74-98-6
 UN Number: UN 1978
 ECCN Number: 1C982
 DOT Proper Shipping Name: Propane
 DOT Classification: 2.1 (Flammable Gas)
 DOT Label: FLAMMABLE GAS
 TC Shipping Name: Propane
 TC Classification: 2.1
 TC Label: FLAMMABLE GAS

Cylinder Specifications

Cylinder Size	Valve Outlet CGA No.	Pressure psig @ 70°F	Pressure kPa @ 21.1°C	Approximate Ship Weight	
				lb	kg
1F	510	110	757	182	83
1A	510	110	757	167	76
2	510	110	757	87	39
3	510	110	757	44	20
4	510	110	757	24	11
6	510	110	757	20	9
7	510	110	757	6	3
LB	170	110	757	6	3

Gas Grade Purity Specifications	Product Code	Cylinder Size	Content US	Metric	Equipment Recommendations	Model No.
Propane, Research Purity 99.999%	G2285106	1F	100 lb	45.36 kg	Single Stage Reg. LB Regulator Tee Purge Leak Detector Detector Tube Outlet Plug Wrench Flash Arrestor	Series 3530-510
<i>Typical Analysis (mol/mol units)</i>	G2285101	1A	35 lb	15.88 kg		Series 3550-180
<i>Liquid Phase Analysis</i>	G2285140	2	13 lb	5.90 kg		4753-510
Carbon Dioxide < 1 ppm	G2285150	3	5 lb	2.27 kg		8057
Nitrogen < 2 ppm	G2285165	4	2 lb	0.91 kg		8014-125SA
Oxygen < 1 ppm	G2285178	6	0.83 lb	375 gm		TW-4
Other Hydrocarbons < 8 ppm	G2285181	7	0.39 lb	175 gm		6103A-F
Propylene < 2 ppm						
Water < 2 ppm						
<i>A Certificate of Analysis is available on request at a nominal charge.</i>						
<i>*Analysis for sulfurs, alcohols and hydrides can be done on a custom basis. Please inquire for more information.</i>						
Propane, Matheson Purity 99.99%	G1886206	1F	100 lb	45.36 kg	Single Stage Reg. LB Regulator Tee Purge Leak Detector Detector Tube Outlet Plug Wrench	Series 3530-510
<i>Typical Analysis (mol/mol units)</i>	G1886201	1A	35 lb	15.88 kg		Series 3550-180
<i>Liquid Phase Analysis</i>	G1886240	2	13 lb	5.90 kg		4753-510
Carbon Dioxide < 2 ppm	G1886250	3	5 lb	2.27 kg		8057
Nitrogen < 10 ppm	G1886265	4	2 lb	0.91 kg		8014-125SA
Oxygen < 2 ppm	G1886278	6	0.83 lb	375 gm		TW-4
Other Hydrocarbons < 80 ppm	G1886281	7	0.39 lb	175 gm		
Propylene < 10 ppm						
Water < 3 ppm						
<i>A Certificate of Analysis is available on request at a nominal charge.</i>						
<i>Analysis for sulfurs, alcohols and hydrides can be done on a custom basis. Please inquire for more information.</i>						
Propane, Ultra High Purity 99.9%	G1980506	1F	100 lb	45.36 kg	Single-Stage Reg. LB Regulator Tee Purge Leak Detector Detector Tube Outlet Plug Wrench Flash Arrestor	Series 3530-510
<i>Typical Analysis (mol/mol units)</i>	G1980501	1A	35 lb	15.88 kg		Series 3550-180
<i>Liquid Phase Analysis</i>	G1980540	2	13 lb	5.90 kg		4753-510
Carbon Dioxide < 20 ppm	G1980550	3	5 lb	2.27 kg		8057
Nitrogen < 10 ppm	G1980565	4	2 lb	0.91 kg		8014-125SA
Oxygen < 25 ppm	G1980578	6	0.83 lb	375 gm		TW-4*
Other Hydrocarbons < 900 ppm	G1980581	7	0.39 lb	175 gm		6103A-F
Propylene < 200 ppm	G1980575	LB	0.313 lb	142 gm		
Water < 5 ppm						
<i>A lot analysis will be provided with each cylinder. Please inquire for individual cylinder analysis.</i>						
<i>Analysis for sulfurs, alcohols and hydrides can be done on a custom basis. Please inquire for more information.</i>						
<i>*Except LB</i>						



Propane (continued)

Gas Grade Purity Specifications	Product Code	Cylinder Size	Content		Equipment Recommendations	Model No.
			US	Metric		
Propane, Instrument Purity 99.5% Air < 0.05%	G2471106	1F	100 lb	45.36 kg	Single Stage Reg.	Series 3530-510
	G2471101	1A	35 lb	15.88 kg	LB Regulator	Series 3550-180
	G2471140	2	13 lb	5.90 kg	Tee Purge	4753-510
	G2471150	3	5 lb	2.27 kg	Leak Detector	8057
	G2471165	4	2 lb	0.91 kg	Detector Tube	8014-125SA
	G2471175	LB	0.313 lb	142 gm	Outlet Plug Wrench Flash Arrestor	TW-4* 6103A-F
<p>LPG 5 and 10 gallon steel cylinders available with single or dual port CGA510 valves, FLET, and head pressure. Inquire. A Certificate of Conformance will be provided on request. *Except LB</p>						
Propane, CP Grade 99%	G1388206	1F	100 lb	45.36 kg	Single Stage Reg.	Series 18-510
	G1388201	1A	35 lb	15.88 kg	LB Regulator	Series 3320-180
	G1388240	2	13 lb	5.90 kg	Tee Purge	4753-510
	G1388250	3	5 lb	2.27 kg	Leak Detector	8057
	G1388265	4	2 lb	0.91 kg	Detector Tube	8014-125SA
	G1388275	LB	0.313 lb	142 gm	Outlet Plug Wrench Flash Arrestor	TW-4* 6103A-F
<p>LPG 5 and 10 gallon steel cylinders available with single or dual port CGA510 valves, FLET, and head pressure. Inquire. A Certificate of Conformance will be provided on request. By request, all except LB can be furnished with full length eductor tubes for liquid withdrawal. *Except LB</p>						